



**Par-ky**<sup>®</sup>  
friendly floors



**Wooden Floor**  
with  
cutting edge technology

# REASONS FOR CHOOSING PAR-KY

---

## A SUSTAINABLE CHOICE

Par-ky loves wood, so we are very careful how we use this precious, natural resource. We optimise the use of this raw material by slicing it into very thin flitches instead of using thick lumber boards where most of the wood is underutilized. In addition, all our wood comes from sustainable forests.

Nearly one third of the energy that we need for the production of our floors is generated by our own solar panels. Last year we also installed 2 wind turbines that provide us with extra sustainable energy. We also reduce our waste by collecting sawdust and wood chips which can be used as heating fuel during the cold months. Less waste, less fuel, fewer emissions. And there's more good news: we are aiming to be able to produce on a completely CO2-neutral basis by 2017!



## REAL WOOD

Every Par-ky board has a top layer of thin wood. That's why our floors look like solid parquet. Just like in nature, no two Par-ky floorboards are the same. In addition, the wood also feels pleasantly warm to the touch.



The mark of responsible forestry

## A RESPONSIBLE CHOICE


Par-ky has a passion for wood and hence treats this precious resource with great care. All the wood that we use to produce the 8 Par-ky flooring collections are sourced from well-managed forests. Our Pure Wood Charter guarantees this. Moreover, all the Trendy Oaks and the Smoked Walnut of the Deluxe+ collection are FSC certified. Another example of our commitment to ecological forest management.

## OUR FLOORS GUARANTEE A HEALTHY AIR QUALITY



It's a fact: the quality of the air is better in rooms with a Par-ky floor. How is that possible? We use only water-based stains, glues without VOCs (Volatile Organic Compounds) and lacquer with a minimum of solvents. The HDF layer (High-Density Fibreboard) which is used in the core of our board is of the highest quality only. This allows our floors to earn an A emissions grade in Europe with some Par-ky collections scoring as high as A+

## PERFECT FOR UNDERFLOOR HEATING



All our floors allow heat to radiate faster than other parquet floors. This means they are ideally suited for installation over radiant heat floor systems. You can find our handy installation tips at [www.par-ky.com/en/downloads](http://www.par-ky.com/en/downloads).



## STRONGER THAN SOLID PARQUET

A Par-ky floor is not only strong but also extremely impact-resistant, thanks to its ULTRA-STRONG HDF CORE (High-Density Fibreboard). The HDF is combined with a wood top layer and then finished with EIGHT DURABLE LAYERS of UV cured lacquer. This ingenious composition ensures that our floors are more resistant to impacts than solid parquet.



## HYGIENIC

All bevels are stained, lacquered and protected from humidity thanks to our Aqua Sealing Complete system. The V-groove is also given an "Ultrafresh" antibacterial protective coating. This ensures that bacteria cannot take root there. So your floor remains not only clean, but also hygienic.



## QUIET TO WALK ON

The + collections have a 2 mm layer of integrated cork on the back. This makes them quiet to walk on, just like a solid, glued down wooden floor.


# FLOOR BOARD COMPOSITION



## TWICE AS STRONG

The 8 hardened lacquer layers make Par-ky an ultra strong floor and protect the wood from moisture and dirt.

The secret of our strong floors lies in the DSI system. DSI stands for Double-Sided Impregnation. During the pressing process, the glue is pressed as deeply as possible into the wood until the saturation level is achieved. During the lacquering of the top layer, the wood absorbs part of the varnish, that hence makes contact with the glue. The wood is completely saturated and becomes extra strong after hardening.



## Premium

The 'Premium' quality guarantees a wooden floor that meets the highest esthetic and technical norms.

## HDF

A Par-ky board has a core of HDF (High-Density Fibreboard). Thanks to its high density this board is extremely stable, strong and can handle heavy impacts.



Every Par-ky board is equipped with the **UNICLIC®SYSTEM**. Thanks to this extremely precise profile, installing Par-ky is a piece of cake.

## PERFECTLY STRAIGHT FLOORBOARDS

The real wood backing provides stability and keeps the board straight.

## SOLID SOUND

The + collections have a 2 mm cork layer that creates a solid step sound, comparable to a fully glued down wooden floor.





## PREMIUM TOP LAYER 0.6mm

deluxe+ 06

12 x 166 x 1800mm

**N**-New Arrival



D05-Milk Oak



D06-Clay Oak



D07-Rosewood



D08-Umber Oak



D09-Smoked Champagne Oak



D10-Smoked Walnut

twist+ 06

12 x 124 x 868mm (L)

12 x 124 x 868mm (R)



T01-Ivory Oak



T02-Desert Oak



T03-European Oak



T04-Walnut



T05-Teak



T06-Antique





## WHAT IS BRUSHED ? WHAT IS SEALED ?

A brushed finish accentuates the natural structure of the wood. These floors are also given a mat varnish, which preserves the wood's natural look.

With a sealed finish, we fill the wood pores with the varnish. This creates an extremely tough protective layer on the natural wood that gives the floor additional resistance to dampness and dirt. These sealed floors are satin lacquered, thereby giving them a beautiful shine.



### Marketing:

灣仔駱克道244號1樓  
1/F, 244 Lockhart Road, Wan Chai, Hong Kong  
Tel.: (852) 2668 9872 Fax: (852) 2827 2377


### Showrooms:

灣仔駱克道244號地鋪  
G/F, 244 Lockhart Road, Wan Chai, Hong Kong  
Tel.: (852) 2882 7282 Fax: (852) 2882 1980  
灣仔駱克道272號A3號地鋪  
Shop A3, G/F, 272 Lockhart Road, Wan Chai, Hong Kong  
Tel.: (852) 3427 8640 Fax: (852) 3427 8641  
灣仔駱克道360號鴻福大廈地下  
G/F, Hung Fook Mansion, 360 Lockhart Road, Wan Chai, Hong Kong  
Tel.: (852) 2556 6286 Fax: (852) 2556 6160  
旺角砵蘭街302號地下C鋪地鋪  
Shop C, G/F, 302 Portland Street, Mong Kok, Kowloon  
Tel.: (852) 2392 5510 Fax: (852) 2392 5511  
旺角上海街730號地下D鋪  
Shop D, G/F, 730 Shanghai Street, Mong Kok, Kowloon  
Tel.: (852) 2393 0002 Fax: (852) 2393 0004  
元朗合益路92-100號凱旋樓地下C號鋪  
Shop C, G/F, Hoi Shuen Building, 92-100 Hop Yick Road, Yuen Long, New Territories  
Tel.: (852) 2673 1322 Fax: (852) 2673 0168


twist+06

## PATTERN FLOOR

### Square



### Herringbone



### Double Herringbone

